

NO. 63982

**APPLICATION FOR PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF  
NEVADA**

Date of filing in State Engineer's Office MAR 26 1998  
Returned to applicant for correction \_\_\_\_\_  
Corrected application filed \_\_\_\_\_  
Map filed DEC 26 1968 under 24803

\*\*\*\*\*

The applicant Logan Meadows Property Owners Assn, Inc., hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

\*\*\*\*\*

1. The source of the proposed appropriation is Antler Spring
2. The amount of water applied for is 0.11 c.f.s. (50gpm) second-feet
  - (a) If stored in reservoir give number of acre-feet 14,000 gal. storage tank
3. The water to be used for Quasi Municipal & Domestic
4. If use is for:
  - (a) Irrigation, state number of acres to be irrigated -0-
  - (b) Stockwater, state number and kinds of animals to be watered -0-
  - (c) Other use (describe fully under No. 12. "Remarks") -0-
  - (d) Power:
    - (1) Horsepower developed
    - (2) Point of return of water to stream
5. The water is to be diverted from its source at the following point Exsisting description NE1/4 SE1/4 Section 19, T.18N., R.19E., M.D.B&M., or at a point from which the SE corner of said Section 19 bear S.12° 32' E. a distance of 1619 feet.
6. Place of Use E1/2 NW1/4, S1/2 SW1/4 SW1/4 NW1/4 Sec.29, T.18N. R.19E., M.D.B.&M.
7. Use will begin about Jan 1 and end about Dec. 31, of each year.
8. Description of proposed works Concrete spring box, gravity pipeline to storage tank & distribution system.
9. Estimated cost of works 50,000.00
10. Estimated time required to construct works in place
11. Estimated time required to complete the application of water to beneficial use 10 years
12. Remarks: 18 residences Please use map filed under Permit 24803. This application is being filed to adequately serve all of the lots and to

cure discrepancies in current service. The supporting map does not outline the S1/2 SW1/4 SW1/4 NW1/4 Sec. 29, but its use was approved by Christine Thiel per conversation with Steve Walmsley.

Bobbie (Barbara) Shropshire  
By s/ Bobbie (Barbara Shropshire  
2580 Hiko Ave.  
Reno, Nevada 89512

Compared gkl/CMS hs/cmf

Protested \_\_\_\_\_

\*\*\*\*\*

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source. It is understood that the 0.11 c.f.s., herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to a beneficial use. A suitable measuring device must be installed and accurate measurements of the water placed to a beneficial use must be included in the proof of such use when filed. The State retains the right to regulate the use of the water herein granted at any and all times.

A totalizing meter must be installed and maintained in the discharge pipeline prior to entering the distribution system to the individual lots and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the proof of completion of work is filed.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is subject to the condition that the permittee must ensure that wildlife which have customarily used such water will have access thereto, NRS 533.367.

The total combined duty of water under Permit 24803, Certificate 8952; Permit 29754, Certificate 9698, and Permit 63982 shall not exceed 7.235 million gallons annually.

This permit is issued with the understanding that three lots currently owned by Max Elliot Whitney and Jean Wimmer Whitney, as Trustees of the Whitney 1991 Family Trust Agreement, further described as Washoe County Assessor's Parcels, 49-030-12, 49-030-13 and 49-030-16 are not included in this permit.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.11 cubic feet per second, but not to exceed 5.865 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

January 3, 2001

Proof of completion of work shall be filed before:

February 3, 2001

Water must be placed to beneficial use on or before:

January 3, 2010

Proof of the application of water to beneficial use shall be filed on or before:

February 3, 2010

Map in support of proof of beneficial use shall be filed on or before:


N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 3rd day of, January, A.D. 2000

  
State Engineer

Completion of work filed

DEC 21 2000


Proof of beneficial use filed

Cultural map filed

N/A

Certificate No. \_\_\_\_\_

Issued \_\_\_\_\_



25-20